

ICC-ES SAVE: Verification of Attributes Report™
VAR-1005

Issued April 1, 2009

This report is subject to re-examination in one year.
www.icc-es.org/save | 1-800-423-6587 | (562) 699-0543 A Subsidiary of the International Code Council®

DIVISION: 07—THERMAL AND MOISTURE PROTECTION
Section: 07 21 16—Building Insulation
Section: 07210—Building Insulation
REPORT HOLDER:

NU-WOOL CO., INC.
 2472 PORT SHELDON ROAD
 JENISON, MICHIGAN 49428
 (616) 669-0100
www.nuwool.com
chrenka@nuwool.com

EVALUATION SUBJECT:
**NU-WOOL WALLSEAL PREMIUM THERMAL AND
SOUND INSULATION**
1.0 EVALUATION SCOPE
Compliance with the following evaluation guideline:

ICC-ES Evaluation Guideline for Determination of Recycled Content of Materials (EG101), dated October 2008.

2.0 USES

Nu-Wool WALLSEAL Premium insulation is used as nonstructural thermal- and sound-insulating material in buildings. The insulation is used on or within floors, floor-ceiling or roof-ceiling assemblies, attics, crawl spaces, walls and partitions.

3.0 DESCRIPTION

Nu-Wool WALLSEAL Premium insulation consists of a uniform low-density mixture of recycled cellulosic fibers and fire-retardant borate-based chemicals. The insulation is available in both a loose-fill and spray-applied form. The product contains the recycled content type and amount set forth in Table 1 of this report.

4.0 CONDITIONS

See ICC-ES evaluation report [ESR-2217](#) for compliance with code requirements.

5.0 IDENTIFICATION

Each bag of insulation is identified by a label bearing the Nu-Wool Company, Inc., name and address, product name, manufacturing date and the VAR number (VAR-1005).

TABLE 1—RECYCLED CONTENT BY WEIGHT SUMMARY

PRODUCT	% PRE-CONSUMER RECYCLED CONTENT	% POST-CONSUMER RECYCLED CONTENT	% IN-PROCESS RECYCLED CONTENT—AS IS	% IN-PROCESS RECYCLED CONTENT—TREATED	% TOTAL RECYCLED CONTENT
Nu-Wool WALLSEAL	20	65.83	0	0	85.83